

19. UNDER NO CIRCUMSTANCES WILL THE CONTRACTOR APPLY A CURING COMPOUND TO STAMPED CONCRETE UNLESS AUTHORIZED BY THE ENGINEER. THE USE OF CURING BLANKETS OR OTHER ACCEPTABLE MEASURES WILL BE REQUIRED. UNDER NO CIRCUMSTANCES WILL VEHICULAR TRAFFIC BE PERMITTED ON STAMPED CONCRETE SURFACE UNTIL THE CONCRETE HAS CURED FOR A MINIMUM OF 72 HOURS, OR LONGER AS DIRECTED BY THE ENGINEER. THE CONTRACTOR WILL BE REQUIRED TO RAMP AND PLATE THE SECTIONS OF STAMPED CONCRETE IN VEHICULAR AREAS AS NECESSARY TO PROTECT THE CONCRETE DURING CURE TIME.

20. THE CONTRACTOR SHALL HAVE THE OPTION OF USING THE FOLLOWING PRODUCTS FOR SEALING THE STAMPED CONCRETE DEPENDING UPON WHETHER A GLOSSY OR FLAT SURFACE APPEARANCE IS SPECIFIED OR DIRECTED BY THE ENGINEER:

a. FOR A GLOSSY SURFACE APPEARANCE, CEMENTONE CLEAR SEALER (L.M. SCOFIELD COMPANY), QC SOLVENT SEAL (QC CONSTRUCTION PRODUCTS COMPANY), OR I-18 BOMASEAL OR APPROVED EQUAL SHALL BE APPLIED AT A MAXIMUM RATE OF ONE GALLON PER 125 SQUARE FEET OF SURFACE. IT MAY BE NECESSARY TO APPLY 2 OR 3 APPLICATIONS OF SAID SEALER IF DEEMED APPROPRIATE BY THE ENGINEER. THE CONCRETE SHALL NOT BE COVERED WITH PLASTIC SHEETING OR BURLAP.

b. FOR A FLAT SURFACE APPEARANCE, EUCOGUARD VOX OR EUCOGUARD 100, QC SOLVENT SEAL (QC CONSTRUCTION PRODUCTS COMPANY), OR BOMANITE SHALL BE APPLIED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.

21. THE CURING COMPOUNDS AND SEALER COMPOUNDS LISTED ABOVE ARE AVAILABLE FROM THE FOLLOWING LOCAL SUPPLIERS FOR THE RESPECTIVE PRODUCTS:

SCOFIELD OR EUCOGUARD	SIERRA SUPPLY 1830 E. LINCOLN WAY SPARKS, NV 89431 PHONE: (775) 353-3333	QC LAFORGE CONSTRUCTION SUPPLY 1007 GREG STREET SPARKS, NV 89431 PHONE: (775) 331-7876
--------------------------	---	---

HYDROZA COATINGS – THE SEALER AVAILABLE THROUGH THIS COMPANY SHALL BE HYDROZO ENVIROSEAL 20. IT SHALL BE APPLIED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS. FURTHERMORE, THE APPLICATOR SHALL BE CERTIFIED BY HYDROZA COATINGS COMPANY. THE APPLICATOR SHALL SUBMIT WITH THEIR QUOTATION, A COPY OF THE APPLICATOR'S CERTIFICATIONS BY HYDROZA COATINGS COMPANY.

THE SEALER AS MANUFACTURED BY HYDROZA COATINGS IS AVAILABLE FROM THE FOLLOWING SUPPLIER:

CONSTRUCTION SEALANTS AND SUPPLY  
7 GLEN CARRAN CIRCLE  
SPARKS, NV 89431  
PHONE: (775) 331-3144

NO.	REVISION	DATE	STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION	SECTION	RENO
			GENERAL NOTES— STAMPED CONCRETE	DRAWING NO.	R-104K (312)
				DATE	PAGE
				01/04	114
APPROVED BY:	G.S.	01/04			